L Number	Hits 12	Search Text secure adj (disk or file) adj system and @ay<1999	USPAT;	2004/03/08 13:57
				200 4 /03/06 13.3/
		social and (case of another) and operation with the second	US-PGPUB;	
I .			ЕРО; ЛРО;	
			IBM_TDB	
-	2	(5915018 5883958).pn.	USPAT;	2004/03/03 15:44
	-	(3513016 3663336).pm.	US-PGPUB;	200 1103/03 13:11
	-		ЕРО; ЛРО;	
	į		IBM TDB	
-		and (disk) adjuster and @ay 1000	USPAT;	2004/03/03 12:17
	0	secure adj (disk) adj system and @ay<1999	US-PGPUB;	2004/03/03 12.17
			EPO; JPO;	
		1' (1' 1-1 ') - 1' 1 @<1000	IBM_TDB	2004/03/03 12:17
-	0	secure adj (diskdrive) adj system and @ay<1999	USPAT;	2004/03/03 12.17
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	0	secure adj (disk\$) adj system and @ay<1999	USPAT;	2004/03/03 12:18
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
	0	secure adj (hard adj drive) adj system and @ay<1999	USPAT;	2004/03/03 12:18
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
, -	0	secure adj (hard adj disk) adj system and @ay<1999	USPAT;	2004/03/03 12:18
		31 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
1	1	secure adj (device) adj system and @ay<1999	USPĀT;	2004/03/03 12:24
	•	seeme adj (device) adj sjetem and (daj 1777)	US-PGPUB;	
			ЕРО; ЛРО;	:
			IBM_TDB	Ì
	24	("4507654" "4575621" "4613848" "4804865" "4860351"	USPAT	2004/03/03 12:18
_	27	"4882752" "4888738" "4962531" "5117457" "5153918"		
		"5249227" "5388156" "5440321" "5457748" "5477952"		
		"5533123" "5555373" "5574786" "5603038" "5610981"		
1		"5613012" "5826009" "5945915" "6182223").PN.		
1	1	secure adj (disk) adj system	USPAT;	2004/03/03 12:24
, -	1	secure adj (disk) adj system	US-PGPUB;	2004/03/03 12:24
ı			EPO; JPO;	
ı			IBM TDB	
1	^	(5015019 5992059) nn	USPAT;	2004/03/03 15:44
-	2	(5915018 5883958).pn.		2004/03/03 13.44
1			US-PGPUB;	
, l			EPO; JPO;	
İ		5120.65 1 151 1	IBM_TDB	2004/02/00 00:05
-	56	713/165.ccls. and file adj system	USPAT;	2004/03/09 09:25
		•	US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	543	(encrypt\$ same file adj system) or (file adj vault)	USPAT;	2004/03/09 09:28
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	537	(encrypt\$ same file adj system) or (file adj vault) and @ay<1999	USPAT;	2004/03/09 09:28
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM_TDB	
-	0	(file adj vault) and @ay<1999 and 713/\$.ccls.	USPAT;	2004/03/09 09:29
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	
			ЕРО; ЛРО;	
, ,				

		71 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	LIODAT	2004/02/00 00 20
-	54	(encrypt\$ same file adj system) and @ay<1999 and 713/\$.ccls.	USPAT; US-PGPUB;	2004/03/09 09:38
			ЕРО; ЛРО;	
	1		IBM TDB	
	, ,	(405215	USPAT;	2004/03/09 09:39
-	1	6405315.pn.	US-PGPUB;	2004/03/03 03.33
			EPO; JPO;	
			IBM_TDB	
	,,,	("5175852" "5349643" "5475819" "5490270" "5495533"	USPAT	2004/03/09 09:39
-	12	"5500897" "5550976" "5617568" "5638448" "5835601"	USIAI	2004/03/07 07.37
		"5931947" "5940507").PN.	j i	
	522	(encrypt\$ same file adj system) or (file adj vault) and @ay<1999 and	USPAT;	2004/03/09 09:42
-	532	713/\$.ccls.	US-PGPUB;	2004/03/07 07.42
		/13/G.CC15.	EPO; JPO;	
	1		IBM_TDB	
	532	(encrypt\$ same file adj system) or (file adj vault) and @py<1999 and	USPAT;	2004/03/09 09:43
-	332		US-PGPUB;	2004/03/07 07.43
		713/\$.ccls.	EPO; JPO;	
			IBM_TDB	
	17	((encrypt\$ same file adj system) or (file adj vault)) and @py<1999 and	USPAT;	2004/03/09 09:43
-	17	((encrypts same the adj system) of (the adj vault)) and @py<1999 and 713/\$.ccls.	US-PGPUB;	2004/03/07 07.43
		/13/\$.cuis.	EPO; JPO;	
			IBM TDB	
	32	((encrypt\$ same file adj system) or (file adj vault)) and @py<=1999 and	USPAT;	2004/03/09 09:44
-	32	713/\$.ccls.	US-PGPUB;	2004/03/07 07.44
		713/\$.ccis.	EPO; JPO;	
]		IBM_TDB	
	4	((encrypt\$ same partition and file adj system) or (file adj vault)) and	USPAT;	2004/03/09 14:24
-	4	(entrypts same partition and me adj system) of the adj value) and (entrypts same partition and me adj system) of the adj value) and (entrypts same partition and me adj system) of the adj value) and	US-PGPUB;	2001/05/05 11.21
		$(\omega py - 1999)$ and $(13/9.0018)$	ЕРО; ЛРО;	
			IBM_TDB	
	394	((encrypt\$ same partition and file adj system) or (encrypted near key))	USPAT;	2004/03/09 14:30
-	394		US-PGPUB;	2004/05/05 14.50
		and @py<=1999 and 713/\$.ccls.	EPO; JPO;	
			IBM_TDB	
	,	((encrypt\$ same partition and file adj system) and (encrypted near key))	USPAT;	2004/03/09 14:25
-	1	and @py<=1999 and 713/\$.ccls.	US-PGPUB;	2004/05/05 14.23
		and (a)py<-1999 and 713/6.0018.	EPO; JPO;	
			IBM TDB	
	39	((file adj system) and (encrypted near key)) and @py<=1999 and	USPAT;	2004/03/09 14:25
-	39	713/\$.ccls.	US-PGPUB;	200 1/05/07 1 1.25
		713/4.0018.	ЕРО; ЛРО;	
			IBM TDB	
	7	((file adj system) and (encrypted near key)) and MAC and @py<=1999	USPAT;	2004/03/09 14:28
-	1 ′	and 713/\$.ccls.	US-PGPUB;	
		und / 15/9.0016.	EPO; JPO;	
			IBM TDB	
_	7	((file adj system) and (encrypted with key)) and MAC and @py<=1999	USPAT;	2004/03/09 14:28
-	'	and 713/\$.ccls.	US-PGPUB;	
		MIG / 1.2/14.0013.	EPO; JPO;	
			IBM_TDB	
	3	((file adj system) and (encrypt\$ with file with key)) and MAC and	USPAT;	2004/03/09 14:28
-]	@py<=1999 and 713/\$.ccls.	US-PGPUB;	200 1/05/05 1 1.20
		(wpy\-1333 and 71373.ccis.	EPO; JPO;	ĺ
			IBM_TDB	
	412	((encrypt\$ same file adj system) or (encrypted near key)) and	USPAT;	2004/03/09 14:31
-	412	@py<=1999 and 713/\$.ccls.	US-PGPUB;	20003/07 14.3
		(ωμγ-1777 and 113/4.com).	EPO; JPO;	
			IBM_TDB	
	202	((encrypt\$ near file adj system) or (encrypted near key)) and	USPAT;	2004/03/09 14:3
-	393		US-PGPUB;	2007/03/03 14.3
		@py<=1999 and 713/\$.ccls.	EPO; JPO;	
			IBM TDB	
1	1		מחו זאותו	L

			•	
-	4	((encrypt\$ near file adj system) and (encrypted near key)) and @py<=1999 and 713/\$.ccls.	USPAT; US-PGPUB;	2004/03/09 14:50
-	0	((encrypt\$ near file adj system) and (encrypted near key near MAC))	EPO; JPO; IBM_TDB USPAT;	2004/03/09 14:54
		and @py<=1999 and 713/\$.ccls.	US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 14:50
-	0	((encrypt\$ near file adj system) and (encrypted near key near authentication adj code)) and @py<=1999 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM TDB	2004/03/09 14.30
-	0	((encrypt\$ near file adj system) and (encrypted and message adj authentication adj code)) and @py<=1999 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 14:51
-	0	((encrypt\$ near file adj system) and (message adj authentication adj code)) and @py<=1999 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; IBM_TDB	2004/03/09 14:51
-	0	((encrypt\$ near file adj system) and (keyed near MAC)) and @py<=1999 and 713/\$.ccls.	USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:52
-	0	((encrypt\$ near file adj system) and (MAC)) and @py<=1999 and 713/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:52
-	0	((encrypt\$ near file adj system) and (MAC)) and @py<=1999 and 713/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:52
-	. 0	((encrypt\$ near file adj system and MAC)) and @py<=1999 and 713/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:52
-	0	(encrypt\$ near file adj system and MAC) and @py<=1999 and 713/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:52
-	0	((encrypt\$ near file adj system) and (keyed near MAC)) and @py<=1999	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:53
-	0	((encrypt\$ near file adj system) and MAC) and @py<=1999	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:53
-	0	encrypt\$ near file adj system and MAC and @py<=1999	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:53
-	0	encrypt\$ near file adj system and MAC and @py<=1999	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:54
-	466	encrypt\$ and MAC and @py<=1999	IBM_TDB USPAT; US-PGPUB;	2004/03/09 14:53
-	0	((encrypt\$ near file adj system) and (encrypted near key near MAC)) and @ay<=1999 and 713/\$.ccls.	EPO; JPO; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/03/09 14:54
			IBM_TDB	

•	2	encrypt\$ near file adj system and MAC and @ay<=1999	USPAT;	2004/03/09 14:55
			US-PGPUB;	
			ЕРО; ЛРО;	
			IBM TDB	
-	9	encrypt\$ near file adj system and hash and @ay<=1999	USPĀT;	2004/03/09 14:56
			US-PGPUB,	
			ЕРО; ЛРО;	
			IBM TDB	